

Dr. J. H. H. H. H.

Dr. J. H. H. H. H.

May 19 to June 4, 1907

VI

Memorandum
Book

125 no. 12 - paper
75 " 8
75 " 6
55 " 8 brass
25 " 6
10 " 2 paper
10 " Buck, assorted.

375 large [50 each x 2 shells.]

Ordered to Camp John Hay by
S.O. #74, per 10, H.P.D., April 13, 1907.

Lent shotguns to
Mr. Anthonie Dr. Means No. 104564.
Mr. Burdett. Capt. Thompson No. 290006.

11 A.M.

Division of Birds 20¢

June 10, 18 + 76. 100.00 gold.
Dr. Means 85.00 gold.

From Mr. Forest 450.00 gold
(Mr. Major's Barbour's expenses).

[Capt. Dory has \$100.00 gold to
credit of Major Barbour, for
expenses to S. V. mine]

Paid out for Major Barbour's
fare to Taguayon 3.25

Hotel bill at Taguayon 2.75

Expenses at Twin Peaks 1.10

Board C. J. H. June 2.00

1 Bot King William Hot. O. 2.50

2 Box Laundry 1.50

1 Bot 1.50

1 Bot 1.50

1 Bot 1.50

1 Bot 1.50

1 Bot 1.50

1 Bot 1.50

1 Bot 1.50

Diary

May 1-18 at Camp John Hay
" " " " Wallace
" - June 7 or "Windanao."
June 7-27 at Manila.
" 27 Manila to Dagupan.
" 28 Dagupan to Camp John Hay
" 28-July at " " "

Thurs. July 27
Haight, B. J. B. J.
Belmont, P. J.
L. Belmont - J. J.

Truck to Pinaric, to collect
at 'Haight' - place.

Left Camp John Hay at
7:00 A.M. ^{July 19, 1907.} Stopped near
or near Kagan
covered rice at 'Haight' &
intended to sleep the
night at 'Haight', but
passed it as the Igorots
did not inform me
when we reached. Camped
for the night at an Igorot
house called
'Haight' a long place to
sleep, which was the house
as it rained hard, nearly
all night.

✓ Found a large pond
N. of Pinaric,
and on the right side
and right hand, following
there was a green Doc.

~~15833~~✓ The Tree turned off, the
road is short

Clarke's Place - West

6443 *Sciurus (Zonotrichia)* ♀ ad

July 22, 1907. Highlights.

6444 Gray Rat ♀

Ears brownish gray, Fore
flesh color; claws horn
hairs purplish brown.

Mammæ $\frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4$ pairs

6445 Mus ♂ ad

18. Iris dark hazel. Ears
hairs (skin) purplish brown
purplish brown.

July 23.

6446

♂

July 24

6447 Mus

♀ ad

Iris dark brown. Feet + claws
Ears, nose + tail purplish.

6448 Mus

♂ ad

6449.

♂ ad

Luckayan.

Sk. + Skull. July 19, 1907.

260; 135; 138; 24.5; 37; 14; 18
flesh color; soles pale purplish
color. Bare skin of tail, between
Iris dark hazel.

260; 133; 135; 28; 39; 14;
purplish brown; Tail between
Feet + claws flesh color, soles

237; 124; 127; 26; 36; 12; 16.

flesh color, soles pale purplish;
brown. Mammæ $\frac{1}{1} : \frac{0}{0} : \frac{2}{2} = 3$ pairs

265; 135; 138; 27; 37; 13; 17.

July 25.

- 6450 Rat ♀
 6451 " ♀
 6452 " ♂ juv.
 6453 " ♂ ad.
 6454 " ♂ ad.
 6455 Sorex ♀ ad.

6456) 5; 10; nose to eye, 13. Snout,
 brown color; soles of feet
 14 mm.

Haight's In-the-oaks. July 26, 1907.

- 6457 Batomys ♀ ad.
 Iris yellowish brown. Ears
 Fore & claws flesh color; soles
 324; 150; 153; 38; 48;

- 6458 Apomys ♀ ad.
 243; 129; 132; 35; 41;
 soles purple-brown.

- 6459 Gray Mouse ♂ juv. 190

- 6460 Sorex ♀ ad. 143; 55;

325; 175; 178; 41; 49; 16; 22.

310; 160; 163; 39; 46; 16; 21

250; 126; 34; 40 (head).

260; 134; 137; 28; 38; 12; 16.

265; 140; 143; 27; 37; 13; 17.

135; 54; 55 (end of tail gone); 15; 27;
 toes, and tail, purplish brown; claws
 dark purplish brown. 2 fetuses
 130.

245; 128; 126; 34; 11; 17.

1907.

Mammal $\frac{2}{2} - \frac{1}{1} - \frac{2}{2} = 5$ pairs
 purplish-brown-flesh color.
 pale purplish flesh color.

13; 19. 5 small fetuses & claws

Iris dark hazel Toes flesh color
 16.5; 21.5 Ears, nose and

82; 84; 30; 37; 11; 17

60; 17; 27; 5; 10. July 27.

- 15350 *Prioniturus* ♂ juv.
 15351 " red crown. ♂ ad.
 15352 Black + -white Flycatcher. ♂ ad.

July 21, 1907

- 15353 Black + -white Flycatcher ♂ im.
 15354 *Prioniturus* red crown. ♂ ad.
 faintly dusky at tip. Feet
 plumbeous. 312; 511; 168;
 15355 Black + -white Flycatcher. ♂ ad.
 15356 *Chrysocolaptes haematribon*
 15357 *Cisticitta mesoleuca*. ♀ ad.
 15358 " " ♂ ad.
 15359 " " ♀ ad.
 15360 " " ♂ ad.
 15361 " " ♂ ad.
 15362 *Pardaliparus elegans* ♂ juv.
 15363 " " ♀ juv.
 15364 *Prioniturus montanus*. ♀ ad.
 15365 *Colaptes auratus* ♂ ad.
 15366 *Merula* ♂
 15367 *Merula* ♂

1907

July 20

" "

" "

Iris hazel. Bill pale plumbeous,
 greenish gray; claws pale
 140; 19.5; 18; 28; racket, 53.

Hights-in-the-oaks (near

- 15368 *Chrysocolaptes haematribon* ♂ ad.
15369 *Chrysocolaptes* " ♀ ad.
15370 Ragged Warbler *Tribura* ♀
15371 *Muscicapula* ♂ juv.
15372 *Stoparola nigrimentalis* ♂ ad.
15373 *Stoparola* " ♀ ad.
15374 *Stoparola* " ♀ ad.
15375 *Merula thomassoni* ♀ ad.
15376 " " ♀ ad.

Hights-in-the-oaks

- 15377 *Prioniturus* ♀ ad.
90.5; 17; 28; Iris grayish
dark at extreme tip. Feet
light plumbeous.

- 15378 *Prioniturus* ♀
15379 *Lanius validirostris* ♀
15370 (80) *Merula thomassoni* ♀ ad.
15371 (81) " " ♂ im.
15372 (82) " " ♂ ad.
15373 (83) " " ♀ juv.

Paway) July 22, 1907.

15374 ♀

(near Paway). July 23, 1907.

333; 518; 170; 152 (rocket 58)
brown. Bill bluish white, faintly
pale greenish plumbeous; claws

July 25

15384 *Lanius validirostris* ♂ ad
width, 11.0; tarsus, 25;
plumbeous-black, fleshy. feet
dark plumbeous, flesh

15385 *Merula thomassoni* ♂ ad.

15386 " ♂ ad.

15387 *Zonotrichia whiteheadi* ♀ ad.
Bill + claws black.

15388 *Zonotrichia whiteheadi* ♂ ad.

15389 *Colaptes auratus* ♂ ad.

15390 *Colaptes auratus* ♂ ad.

15391 " ♂ ad.

15392 " ♀ ad.

15393 *Zonotrichia whiteheadi* ♀ ad.

15394 *Spizella nigrimentalis* ♂ ad.

15395 *Prioniturus montanus* ♂ ad.

15396 " " ♂ ad.

17.19. This + above colored

15397 *Thryonax javensis* ♂ ad.

Feet plumbeous; claws

202; 160; 53; —

217; 290; 91; 105; 17.3 (depth), 10.4
ante. 22.5. Iris hazel. Bill
umbrous at base of mandible
on under side of toes.

120; 283; 122; 57; 4 (nostril); 10; 8.
Feet purplish gray. ~~Bill + claws black.~~
No tag.

320; 525; 171; 150 (nocket 54); 20;
like No. 15354.

Iris yellow. Bill dusky, plumbeous
olive-plumbeous. 410; 610

— — — 34; 40

Haight's Place. July 25, 1907.

15398. *Hyloterpe albiventris* ♂ ad.

Iris dark hazel. Bill black.

15399 *Cerytolophia nigrorum*. ♀ ad.

Iris brown. Bill olive-plumbeous.

15400 *Zosterops whiteheadi* ♂ ad.

15401 " " ♂ ad.

Haight's Place. July 26, 1907.

15402 *Pipilo montanus* ♀ ad.

15403 *Muscicapula westermanni* ♂ ad.

15404 " " ♀ ad.

15405 " " ♀ ad.

Haight's Place. July 27, 1907.

15419 " " ♂ ad.

15418 " " ♀ ad.

185; 270; 85; 82; 14; 23; 17.5;

Feet + claws purplish plumbeous.

120; 180; 57; 45; 10.7; 21.5; 14.

; feet + claws light plumbeous.

{ 100; 235; ~~100~~ 100; 42; 4.6; 9; 7.

Iris brown. Bill + claws black. Feet

purplish brown, darker on tips of toes.

15427 *leucogenys*. ♀ ad.

w. alt, 11; tarsus, 18.5;

Height May 27, 1907.

15437 *Primitivus* ♂

July 1907, at 7 p. feet

Like bird of plumbeous.

20.5; 18.5; 31. Igorole

15434 *Merula thomsoni* ♀ ad.

255; 383; 125; 105; 24 (not

claws all yellow.

15439 *Merula thomsoni* ♀ ad.

28; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

15438 *Primitivus* ♂ ad.

172; 155 (not 60); 20.5;

15440 *Merula thomsoni* ♂ ad.

15466 " " Aug. 2. ♀ ad.

Throat black.

168; 259; 82; 71; 11.3; 11.3

iris, 24.5. Iris grayish brown.

Bill dark brown above, slaty
uniform purplish brown.

Iris brown. Bill dark brown above,

grayish gray; claws plumbeous.

321; 502; 169; 145 (not 52);

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

25; 25; 25; 25; 25; 25; 25; 25;

Haight's July 30, 1907.

15446 *Blepharocorypha* - white Flycatcher ♂ ad.

16; 14 iris dark brown. Bill

15447 *Piranga* - red-crowned. ♂ ad.

20; 17; 26.

Haight's Aug. 1, 1907.

15456 *Tyrannus* - *seclusus* ♂ ad.

15461 *Muscicapula* - *viridis* ♂ ad.

Bill. Iris dark brown. Bill

15457 *Tribuna* - *seclusus* ♂ ad.

Bill with maxilla brown,
+ claws brownish flesh color.

Haight's - in - the - oaks Aug. 2.

15467 *Lanius* - *validirostris* ♀ ad.

15468 *Ceryle* - *alcyon* ♂ ad.

15469 *Hyloterpe* - *albicincta* ♂ ad.

15470 *Budytes* - *polygyna* ♀ ad.

30; 22.5. Iris grayish brown

Feet + claws brownish gray,

132; 193; 64; 52; 10 (nostril 7);

all black. Feet + claws brownish black

340; 632; 176; 169; nostril 73;

180; 325; 96; 43; 12; 26.5; 26.

130; 204; 63; 54; 11.7 (nostril 7.5);

black. Feet + claws flesh color.

157; 187; 59. Iris light brown

irresistible flesh color. Feet

darkest on front of tarsus.

231; 270; 88; 102; 17; 28; 22.

119; 182; 60; 47; 9.5; 22; 14.

185; 273; 85; 80; 21; 19;

150; 222; 70; 50; 14 (nostril 8.5)

Bill brownish plumbeous - black

6/20/34

10

370; 192; 195; 38; 48; 14; 22.

6462 Mrs.

702.

268; $\overset{14}{14}\overset{3}{0}$; 27; 36; 12; 17.

Harmon $\frac{2}{2} - \frac{0}{0} \frac{2}{2} = 4$ mis.

十

$$= 55; 122; 36.41; 15; 20$$

6464

7

260; 120; 35; 41; 15; 20.

6465

7

260 ; 127 ; 35 ; 41 ; 15 ; 20

6466 Mus, small brown

↑

3,05; 160,164; 30; 38; -; -.

6467

♂ ad:

269; 138; 140; 28; 38; 13; 17.

6468

Qad.

270; 140; 144; 27; 30; 12; 18.

Maximize $\frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4$ pairs.

6469

♂ *ad.*

~~265~~ 265;

6470 Mus white-tailed

bad

$(265; 131; -; 27.5; 37; 13; 18.5)$

450; 245 (white portion 113); 245

49, 58, 20, 28.

Harvard Club July 21

64717ms west of

2

212; 108; 110; 26; 32; 10; 15

and a bundle of the material

1472

9

195: 103: 105: 24: 29: 12: 16

6473 Mus

8

265; 133; 136; 26; 36; 12; 17

7. Name it $\frac{1}{2} - \frac{0}{0} - \frac{2}{0} - 4$

6474

6475 200'-itt. 1st

98. width ps, 33; head, 30.3;
to end of mouth, 43; nose
ear, 84; distance of ear,

Weight just 4 pounds

2 in. of tail and head

Height and a few other things

Measure, 63 by 26. head of a

chance, 3.5 (a little more)

from June 9; width of jaw

18x11, and length of jaw

measures. When the bird is

a good part of a day

Exercised by cutting its litter

not for me

Height. July 30, 1907

6476 200'-itt. 1st

6477 200'-itt. 1st

6478 200'-itt. 1st

6479 200'-itt. 1st

♂ ad.

End of tail gone

cunningi ♀ ad. 820; 400; 428;
21; 34; distance of ear, 23; nose
to eye, 47; nose to base of
9 in. of tail, 106.

The young began to be
brought by the parent ♂

= sing one (!) young in this way

as, 11; 15.5; 15.5; 15.5; 13. Fine

10.5; 11.5, 10. While measures:

at young 10.5, 10.5, 10.5, 10.5.

upper 13 brought also by

bird looks at night and

in morning, drank water

during night. Found in the cellar.

Found in the cellar.

Found in the cellar.

Found in the cellar.

Found in the cellar.

Found in the cellar.

Found in the cellar.

Aug. 15. Aug. 21 1957

6478 Mus ♀ ad.

Mamm. $\frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4$ pairs

6479 Mus ♀ ad.

Mamm. $\frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4$ pairs

6480 Mus ♀ ad.

Mamm. $\frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4$ pairs

6481 Mus ♀ ad.

Mamm. $\frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4$ pairs

6482 Mus ♀ im.

the above 5 seem to be in a

mini-yoon

6483 Mus ♀ ad. grayish

6484 Stubby Rat. (black ears + tail) ♂ ad.

We get tail white for 7 imm

6485 Mus ♀

On-foot (-Rat).

6486 Mus ♀ ad.

6487 Mus ♂ ad.

6488 Sorax ♂ ad.

6489 Mus in formalin ♂ ad.

6490 " skin + skull ♀

Mamm. $\frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4$ pairs

270; 143; 147; 25; 27; 13; 18

262; 134; 137; 26; 36; 13; 18

270; 147; 151; 27; 37; 13; 18

270; 140; 144; 26; 37; 13; 18

On-foot (-Rat).

245; 125; 128; 26; 34; 12; 17

species - all females!

305; 149; 151; 36; 45; 15; 22

375; 185; 195; 40; 58; 20; 30

soles pale, purplish flesh; claws flesh.

iris dark brown. Palms + toes flesh

250; 134; 137; 36; 40; 16; 21

260; 137; 141; 27; 37; 15; 20

253; 127; 130; 27; 35; 13; 18

149; 60; 64; 15; 28; 5; 10

148; 144; 152; 29; 40; 14; 19

255; 126; 129; 27; 37; 12; 17

Nest + eggs of *Cisticola*

Nest in short wiry grass, close

Measurements 16X12.8; 16X13

round entrance above and obliquely
cobwebby materials. woven into
meadow park in front of Mrs.

Ground color fawn
with red-brown, sparsely except at
are aggregated. Nest on

Measurements of specimens:

6491 " " ♂ ad.

6492 " " ♂ ad.

6493 " " ♂ ad.

6494 " " ♀

6495 " " ♀ juv.

6496 " " ♀ juv.

6497 " " ♀ juv.

6498 *Alouatta* ♂ ad.

How found. Eggs, none, bird sole
and blackish flesh color

Parent No. . . . July 26, 1907.

to ground, purse shaped with

to side. Nest of grayish,
the grass leaves in open
Haight's house.

white; finely speckled all over
the great end, where the spots
bulge. Nest + 2 eggs preserved.

Haight's. Aug. 1, 1907.

243; 160; 164; 28; 40; 13; 18.

278; 142; 145; 26; 36; 12; 17.

250; 133; 136; 24; 37; 12; 17.

253; 133; 136; 27.5; 37.5; 16; 17.

193; 79; 24

193; 94; 95; 23; 30; 12; 16.

185; 73; 24.

285; 150; 153; 38; 44; 18; 23; 5

+ 1 egg preserved. Brown. Eggs, pale, yolks,

Longest whiter, 65

6499 Mus white-tailed

Mammals $\frac{2}{2} - \frac{2}{2} - \frac{2}{2} = 4$ pairs

6500 Mus white-tailed ♂ juv.

6501 Mus ♂ ad.

6502 " 2nd form ♂ ad.

6503 " ♂ ad.

6504 " ♀

6505 " ♀

6506 Sorex (good for a type) ♂ ad.

6507 Mus ♀

6508 Mus ♂ ad.

Hights - in the Park Aug 2.

6509 Mus ♂ ad.

6510 " ♀ im.

6511 " ♀ ad.

6512 " stout feet ♀ juv.

6513 Boob'-it ♀ ad.

560; 130 (end gone); 92;

6514 Mus white-tailed ♀ ad.

55; 70; 26; 34; nose to eye,
diameter of eye, 8.6.

500; 265; 49; 65; 23; 28

tail 80. Tail vert. 155.

402; 210; 47.

266; 146; 150; 28; 36; 12; 17.

252; 133; 136; 27; 35; 12; 17.

255; 130; 133; 27; 36; 13; 18.

248; 131; 134; 26; 36; 12; 17.

174; 78; 24.

143; 68; 72; 16; 28.5; 5; 10.

255; 129; 133; 26; 36; 12; 17.

265; 135; 138; 27.5; 37; 13; 18.

145
260; 142; 28; 36; 12; 17

246; 135; 26.5.

261; 126; 129; 27; 37; 13; 18.

182; 83; 30.

~~##~~ Mammals $\frac{0}{0} - \frac{0}{0} - \frac{1}{1} = 1$ pair.

106; 30; 36. Weight 4 pounds.

480; 248; 252 (white portion, 95).

34; to ear, 60; to tip of ear, 94;

Oh'-tooth. Separate name.

11. *scutellata*

negrosum

1891 / 1892

Systemic Antibiotics

Asplenium platyneuron

Conioides

Brachypteryx

✓ Thymus

✓ Sho'-mai. Shing'-i

✓ Бул-сәткәч һәм Кәл-Кәк'

✓ "Pudd-itt"

✓ $T_{0-4} = h' - 2u$

✓ Chest-chai-deh'-lah

 $\checkmark K_{2O} = 20.5 - 1.0 = 19.5$

✓ B. - 1 - 2 - 3 - 4 - 5

\checkmark $1 - \frac{1}{2} = \frac{1}{2}$

✓ $P = \text{pino} = \text{oh}$ } "one class"

✓ Pee-ping'-oh

✓ *gōkō* - 行く *gōkō* - 行く

✓ Pe-lae'-bis

✓ Suck - suck' or Suck - sook!

✓ Bee'-doo

~~Pipilo~~

~~Corone / philippina~~

~~Brachypteryx~~

~~Zosterops~~

~~Lanius validirostris~~

~~Raggid Warbler~~

✓ Koo-go-ee Ko'-gue

✓ Gah-wahng'

✓ Bee'-do see

✓ Boos-boos-she-ag'

✓ ~~Bee'-do~~ Tahl-ahl'

✓ Sock-sack'

7
Brachypteryx poliozyga. - An
Aug. 1, 1907, an Igorot
brought me a female which
he had snared on its nest.

He also brought the nest, which
contained one (1) egg. 24×16.5
General color of egg grayish brown
ground greenish gray-brown, thick
and uniform, smeared with brown
obscuring the ground color; great
end nearly all brown.

Nest outwardly of moss, lined
with broad grass blades, skeleton
leaves and fine rootlets.

external diameter 140.

internal " 55

external depth 110

internal - " 85

7
Brachypteryx is one of the
most elusive birds that I have
met with. One will dart
across the trail and alight
in one of the tangles of brushwood
and fallen timber that it
delights to inhabit. The instant
it alights it hops to a lower
level where its flitting tail
appears for an instant like
the flashing twitch of a Prairie
Dog's tail as it changes end
and ^{and solicits as it} disappears into its
burrow. One awaits in vain
its reappearance; for the
chances are in favor of its
being far down the hillside
inspecting the hollow of some
decayed stump. Most of my
specimens have been taken in
small traps baited for man-

=mials with a touch of saturnal.

~~It is crepuscular~~ usually placed in hollows of decayed trees or among cavities of rocks. It is crepuscular, its ^{sweet} high notes shrilling up and down the scale at dusk, when it is much more apt to ~~be~~ appear abroad than during the hours of sunshine. I have never seen one more than a yard above the ground, on which it runs at an amazing pace.

Pseudotharrhaleus. - This bird inhabits the most intricate and darkness-shaded spots in the alpine forests. It is more easily shot than Brachypteryx, because it does not forsake its haunts when approached, and

because its ~~rough~~ raspy chirp, followed by a low trill is continually heard, as the bird continually moves about the intruder. I have sat for half an hour awaiting an opportunity for a shot; but so nimbly does it run upon the ground and branches of its bushy home that it is as difficult to shoot as a forest mouse. It utters a loud, clear song at rare intervals.

A nest, supposed to be of this bird was discovered in a mass of moss ~~4 feet~~ growing upon a tree-trunk about 4 feet above the mossy turf at the apex of Mt. Malindang. This nest was preserved. It was empty.

Prioniturus montanus - The red-crowned Parrot utters a squeaky sound like that of a rusty wheelbarrow. Its cry of oo'-lee, is a soft love note which is its Igorote name. It has a variety of harsh notes the loudest being the notes of alarm when it takes sudden flight. Its ^{flight} flying notes are much softer utterances.

Birds skinned Aug. 1: -

Zosterops whiteheadi

" "

" "

Zosterornis "

Brachypteryx

♀ ad.

Parent of nest + 1 egg.

Merula thomasoni

♂ ad.

Birds skinned Aug. 2.

15471 *Zosterops*

♂ ad.

15472 "

♂ imm.

15473 *Zosterornis*

♀ ad.

15466 *Turnix* blk-throat

♀ ad.

15474 *Colaptes auratus* ♀ ad. In formalin

Left in Haight's tank.

15470 *Brachypteryx*

♀ ad.

Haight's, Biquet.

6515	Mus small brown	♂ ad
6516	" "	♂ ad.
6517	" "	♂ ad
6518	" "	♂ ad.
6519	Mus, small brown.	♂ ad.
6520	" "	♂ ad.
6521	" "	♀ ad.

$$\text{Mammals } \frac{2}{2} - \frac{0}{0} - \frac{2}{2} = 4 \text{ pairs}$$

6522	Mus, small brown	♀
6523	" "	♀
6524	" "	♀ ad
6525	" "	♀

The following are probably

6526	Mus, small gray	♂ juv
6527	" "	♀ juv
6528	" "	♀ juv.
6529	Mus, but very young	♀ juv.
6530	" " older	♂ juv.
6531	Reddish-brown Rat	♀ ad

Doubtful of some as above; indubitable!

August 2, 1907.

End of tail gone in formalin.

280;	142;	145;	29;	139;	18.
262;	134;	137;	27;	138;	18.
300;	167;	170;	29;	41;	14; 19.
of ear, 53;	diaper of eye, 5.				
265;	133;	136;	27;	38;	13; 18.
278;	141;	144;	28;	40;	13; 18.
267;	139;	142;	28;	37;	12; 17.

258;	137;	140;	27;	36;	13; 18.
248;	125;	128;	27;	36;	12; 17.
260;	134;	137;	27;	37;	13; 18.
250;	138;	141;	27;	35;	12; 17.

young of the above species: -

191;					
211;	114;	26.			
199;	106;	23.5.			
255;	127;	128;	36;	40;	16; 21.
310;	148;	149;	36;	44;	15; 20.
287;	144;	145;	39;	47;	18; 24.

the hind feet different - wh. instead of black

Of the commonest small
Brown Rat, 6 males (6515,

6516, 6517, 6519, + 6520)

and 6 females (6521, 6522,

6523, 6524, + 6525) were

put in Mr. Haight's crock, in
formalin, to be forwarded to the

U.S.N.M., with others to be

collected by Mr. Haight later.

(6531); heel + posterior plantar tubercle = - close different. Possibly same species.

6532 *Athomys* ♂ ad

nose to eye, 20; to ear, 35;

6533. *Mus* small brown rat. ♂ ad.

6534 " " ♂ ad.

6535 " " ♂ ad.

6536 " " ♀ ad.

6537 " " ♀ ad.

6538 " " ♀ ad.

6539 " " ♀ ad.

(6514) " (white-tailed). These specimens

= anal, + 4 inguinal teats

(6513) *Bos* Contained 1 small

6540 *Bos* ♂ ad.

6541. See Aug. 2, 1907 ♂ juv

6542 *Canis* 1 jaw tooth.

277; 145; 147; 35; 42; 18; 21

to tip of ear, 57. In formalin.

285; 153; 156; 27; 40; 13; 18.

Tail defective.

285; 146; 149; 28; 37; 13; 18.

265; 138; 141; 27; 36; 12.5; 17.5

270 143; 146; 27; 36; 12; 17.

Tail defective.

257; 134; 137; 26.5; 36.5; 13; 18.

had 2 thoracic, 2 lower abdominal

. Not pregnant. Mammary 4 pairs.

foetus. Molting badly.

135; 56; 58; 15; 5; 10

Skin + Skull. Ig or to Pig.

6542

6443

Haight's. July 26.

- 15406 *Prioniturus montanus* ♀ ad.
 15407 *Chrysocolaptes haematribon* ♀ ad.
 15408 *Merula thomassoni* ♂
 15409 *Muscicapula westermanni* ♂ ad.
 15410 *Muscicapula westermanni* ♂ juv.
 15411 *Stoparola nigrimentalis* ♂ ad.
 15412 *Cryptolopha nigrorum* ♂ ad.
 15413 *Collocalia whiteheadi* ♀ ad.
 15414 *Tribura seebohmi*.
 Ragged Warbler. ♂? ad.

Haight's. July 27, 1907

- 15415 *Chrysocolaptes haematribon* ♀ ad.
 15416 *Merula thomassoni*. ♂ ad.
 15417 *Stoparola nigrimentalis* ♂ ad.
 15418 *Brachypteryx palliogyne* ♀ ad.
 15419 *Collocalia linchi*. ♂ ad.
 15420 *Pardaliparus elegans* ♂ ad.
 15421 *Cryptolopha nigrorum*. ♀ ad.
 15422 *Zosterops whiteheadi* ♂ ad.
 15423 " " ♂ ad.

Haight's. July 28, 1907.

- 15424 *Pardaliparus elegans*. ♀ juv.
 15425 *Merula thomassoni*. ♂ ad.
 15426 " " ♂ ad.
 15427 *Pyrrhula leucogenys* ♀ ad.
 15428 *Hyloterpe albiventris* ♂ ad.
 15429 *Collocalia whiteheadi* ♀ ad.
 15430 *Collocalia linchi* ♀ ad.
 15431 Black & white Flycatcher. ♂ ad.
 15432 *Cryptolopha nigrorum*. ♀ ad.
 15433 *Stoparola nigrimentalis* ♂ ad.

Haight's. July 29, 1907.

- 15434 *Merula thomassoni* ♀ ad.
 15435 " " ♂ ad.
 15436 " " ♀ juv.
 15437 *Prioniturus montanus* ♂ ad.
 15438 " " ♀ ad.
 15439 *Pseudotharrhaleus caudatus* ♀ ad.
 15440 *Lumix ocellatus* ♂ ad.
 15441 *Tribura seebohmi*. ♂ ad.
 Ragged Warbler.
 15442 *Zosterornis whiteheadi* ♀ ad.

(Haight's July 29)

- 15443 *Hyloterpe albiventris* ♂ ad.
 15444 *Stoparola nigrimentalis* ? ad.
 15445 *Cryptolopha nigrorum* ♂ ad.

Haight's July 30, 1907

- 15446 Black and white Flycatcher ♂ ad.
 15447 *Prioniturus montanus* ♂ ad.
 15448 *Stoparola nigrimentalis* ♀ ad.
 15449 *Hyloterpe albiventris* ♀ ad.
 15450 *Cryptolopha nigrorum* ♀ ad.

Haight's July 31, 1907

- 15451 *Prioniturus montanus* ♀ ad.
 15452 *Hyloterpe albiventris* ♂ ad.
 15453 *Cryptolopha nigrorum* ? ad.
 15454 Black and white Flycatcher ♂ ad.
 15455 *Muscicapula westermanni* ♀ ad.

Haight's Aug 1, 1907

- 15456 *Tyrnix ocellatus* ♂ ad.
 15457 *Tribura scabrolineis* ♂ ad.
 15458 *Merula thomassoni* ♂ ad.
 15459 *Zosterornis whiteheadi* ♂ ad.

Parent Nest + 1 egg.

15460 *Brachypteryx holioygyna* ♂ ad.

15461 *Muscicapula luzonensis* ♂ ad.

15462 *Zosterops whiteheadi* ♀ ad.

15463 " " ♂ ad.

15464 " " ♂ ad.

15465 *Cryptolopha nigrorum* ♂ ad.

Haight's Aug 2, 1907

15466 *Tyrnix ocellatus* ♀ ad.

15467 *Lanius validirostris* ♀ ad.

15468 *Cryptolopha nigrorum* ♂ ad.

15469 *Hyloterpe albiventris* ♂ ad.

15470 *Brachypteryx holioygyna* ♀ ad.

15471 *Zosterops whiteheadi* ♂ ad.

15472 " " ♂ im?

15473 *Zosterornis whiteheadi* ♀ ad.

15474 *Chrysocolaptes haematribon* ♀ ad.

Informal in. Left at Haight's.

Aug. 3, 1907.

15475 *Butastur indicus* ♂ im.

(over)

① Eumyias

Aug. 4, 1907.

15476. *Stoerella nigrimentalis* ♂ ad.

15477 *Cisticola exilis* ♂ ad.

at Acopi's Aug 4, 1907

15478 Black-+-white Flycatcher. ♂ juv.

S. of Acopi's.

15479 *Artamus* ♂ ad.

Bet. Acopi's + Topside Aug. 4, 1907

15480 *Dicaeum pygmaeum*

Shot in coffee trees beside Acopi's house.

15481

12855

2626